

# Welcome to Birkdale

For over 25 years we have been UK based manufacturers with nationwide surveying and installation teams.

Over this period we have been making changes to our products in order to remain at the forefront of British industry. We believe we are manufacturing some of the top products in the UK due to our innovative designs.

100% customer satisfaction is our aim and we subscribe to the view that keeping a customer demands as much skill as winning one.

Your valued enquiry is extremely welcome.

# Why a roller door?

- Space Saving
- Made to Measure
- Aesthetically Pleasing

1


16

- Secure
- Insulated
- Reduction in Sound
- Vertical opening for shorter driveways



# Choose MAXI ROLLER

This is our most popular roller door. 300mm of headroom is required to house the box and is made from 78x20mm foam filled slats to suit openings up to 5500mm wide. 6.5kg/m².



# Birkdae Key to features for further details see next pages

# DOOR

The Maxi door requires headroom which is not always available. To accommodate this Birkdale have designed the Compact roller door. These doors still share many of the features of a Maxi door and allow installation into smaller spaces (see comparisons on page 9).



White paint finish as standard with option of superior laminate coated finish.



**Tube Motor** 



**Door Monitor** System



Three Function Spring System



Remotely Operated



**Autolocks** 



9



Insulated Curtain



Internal Manual Override





Reinforced Perimeter





Touch Screen Control Box



(Socket)





Reinforced Endplates





Full Box



Through Wall Drive





Hood Lock





Four Channel Handset





Keypad





Key-less Barrel Lock





Alarm




**Battery Backup** 





Colour matching Guides and Fascia

White as standard with an extra budget option of paint finishing the outside face in Brown, Wine Red, Jet Black, Steel Blue, Anthracite Grey and Dark Green or laminating any colour



# **SPACE** SAVING

Ideal for extra storage space and excellent for short driveways.







## Hard Wearing Laminate Coating Option

Birkdale have a premium coating system often used on window profiles so an ideal match and they come with a 15 year warranty. This gives us 1000's of colours all available from stock. Colour matching box, guides and fascia is also available. This coating opens up the possibility of matching any architecture and is much harder wearing than paint finished profiles traditionally supplied. In brief, we have more choice with better warranties all from stock for quicker delivery.





# High Speed Tube Motor

A high speed motor provides smoother and faster operation. Supplied with an internal manual release and a **7 year warranty**. These are supplied exclusively to Birkdale by **Jolly Motors**.






2

# Door Monitor System

Unlike a standard safety edge this motion detection device offers full protection, beneath and against the door. Backed by a **5 year** warranty as standard.





# 3 Function Spring System

This reduces the work load on the motor, gives a smoother door operation, and provides a built in anti drop device.





# Remotely Operated

As standard, our roller doors are supplied with two remotes for easy, wireless operation.





# Heavy Duty Barrel and Security Locking

The 125mm round aluminum barrel is light weight but extremely strong with its honeycomb structure eliminates any deflection in the barrel even in doors at 5500mm wide. The increase in the diameter of the barrel also significantly increases the speed and smoothness of the door operation and with the additional retainer profile provides much superior security rating compared against traditional spring locks



8

### Insulated Curtain

Our Roller Door is thermally insulated to help with garage warmth. The 20mm thick insulated curtain is ideal for integral garages or garages with bedrooms above.







### Internal Manual Override

In the event of a power cut, our internal manual override allows the door to be wound up and down via crank handle and eyelet. This can be upgraded to a permanently fixed knuckle system which is ideal for tight spaces. Our spring assisted system (5) makes this easier to use.





# Extruded Top and Bottom rail with new dual seal rubber.

The top and bottom rails are manufactured from extruded aluminium for added strength and security. Add this to the heavy duty guide to give the door a rigid, stronger perimeter. Also our new dual seal is designed for a better seal on uneven garage floors.





# Touch Screen Control Box

Look at our stylish sleek designed control box and door monitor system. Features include a touch screen with LED light, battery status monitor, safety edge status and other indicators. Additional optional extras of alarm, touch screen keypad, smart phone operation and a wireless door entry system for your house door are available.





# Reinforced Endplates

The end plates are made from die-cast aluminium which can be upgraded to be fitted with steel reinforcement brackets as an optional extra. These provide added security, a more secure fixing and reduce installation time.

11





## Full Box

An aluminium box made up from a 90° and a 45° profile to create a fascia when headroom is limited and a neat finish inside the garage. A full box is required for external fitting. Full Box Fascia Strengtheners are optional for greater rigidity.







13

15



12

14

16

# Through Wall Drive

For all garages with no other entrance a Through-Wall-Drive is to be fitted as an external manual release, in the event of power failure. Secured with anti theft screws. An internal gearbox ensures easy operation.





### **Hood Lock**

A lockable cover for externally fitted roller doors to secure the manual release device.



# Four Channel Handset

Two and four channel handsets can be supplied to operate up to four doors using one handset (two channel handset is supplied as standard).





Keypad

Add the Keypad for access to your garage without the need to carry hand transmitters.





# Key-less Barrel Lock

Add the feature of key-less entry to your house or garage personnel door and open both with your remote or keypad.







#### Alarm

For added security an Alarm can be fitted to sound when the door is being tampered with forcefully or manually lifted. The alarm will only work in conjunction with the Door Monitoring System (DMS).





18

# Battery Backup

Add the Battery Backup and never worry about power failure again. Just carry on operating your door as normal waiting for power to return.



Birkdale offer 5 Groups of Colours Starting with our Group 1 base white colour and then our premium laminate coating in 1000's of colours from group 2 to group 5.

#### Paint Finish Standard

This is our basic colour, whatever colour you choose this will be the internal colour, creating a nice clean and light interior finish.



#### Laminated Popular

A set of our five most popular finishes; Wine Red, Jet Black, Steel Blue, Anthracite Grey and Dark Green. These are offered at a subsidised rate because of their popularity.



#### Laminated Standard

A selection of our traditional laminate colours that offer both solid and wood effect colours offering over a 100 colours as standard.



# 💢 Laminated Colour Matching Option

This is available in both solid colours (Group 4) Offering any colour in smooth, textured or woodgrain finish with the option of any colour code including metallic finishes. Simply give us your colour code and we will match it.

Our woodgrain finishes can also be supplied in wood effect colours (Group 5). With these options we can match any architecture.



### Benefits of laminated finish

There are many more advantages over standard paint finished roller doors...

#### **Complimentary Colours**

The same finish is often applied to doors, windows and conservatories. Therefore, our laminated finish really will compliment the appearance of your property.

There are many more advantages over standard paint finished roller doors.

#### Colourfast and Harder Wearing

The multi-layer finish absorbs UV radiation by more than 95% ensuring the colours and wood grains are protected from fading and adverse weather effects.

The transparent outer layer protects the colour and is designed to withstand European climate variations giving a long-term stable finish backed by a 15 YEAR WARRANTY. Simply put, the visual appearance will be maintained and last longer than inferior paint finished roller doors.

#### **Superior Thermal Insulation**

The external foil coating creates a thermal break. Coupled with solar shield technology the profiles are kept much cooler - even with darker colours. Paint finish doors can be problematic when expansion occurs through heat. Our laminated colours greatly reduce such problems.

#### **Sea Salt Corrosion**

Doors fitted within coastal areas are susceptible to corrosion from the salt air. Salt air deposits settle on the door and can eventually cause aluminium corrosion. Cleaning the door regularly with warm soapy water once a month will slow this process down and prolong the life of the aluminium. Doors fitted within 5 miles of the sea are NOT covered by standard Birkdale warranties. The warranty for aluminium against corrosion in coastal areas is 18 MONTHS. This applies to powder-coated aluminium and steel sections.



SCAN WITH YOUR MOBILE TO OPEN THE COLOUR SWATCH

THE OR CODE SCANNER APP AND INTERNET CONNECTION IS REQUIRED



# Technical Specification

Fitting requirements and roller door features comparison.




#### Headroom

This is the required space needed to accommodate the diameter of the door as it rolls up and down.

This can be created by using the Full Box (13) particularly for under lintel or external fitting.


# Fixing Examples



#### Opening Height

- Above lintel fix.

Sufficient headroom the Full Box (13) is not required for headroom purposes.



#### Overall Height

- Under lintel fix


No headroom The Full Box (13) creates a fascia to give the headroom required.



### Side room

The side room applies to the space which is needed to fit the door guides on both sides of the garage aperture. The size of the tracks will vary depend on the selected roller door model and their width size. The size of the tracks will vary depending on the selected roller door model and their width sizes.

The guides can be face fixed or fixed in between (see diagram).




### Overall Height

- Limited headroom

The Full Box (13) creates a part fascia to give the headroom required.


### Opening Width

- Face fix




#### Overall Width

- In between fix



#### Overall Width

- Face and in between fix



MAXI	СОМРАСТ
5500mm	3000mm
3500mm	2600mm
300mm (up to 2590mm guide height)	205mm (up to 2000mm guide height)
360mm (over 2590mm guide height)	250mm (over 2000mm guide height)
70mm (up to 3000mm opening width)	66mm
100mm	75mm
Internal/External	Internal/External
Optional	Optional
Optional (White as standard)	Optional (White as standard)
Box/Guides/Fascia (White as standard)	Box/Guides/Fascia (White as standard)
Standard	Standard
Standard	Standard
70mm/100mm*	65mm/75mm**
Aluminium - Foam Filled	Aluminium - Foam Filled
20mm	14mm
78mm	56mm
15/17 RPM	17 RPM
Crank Handle	Crank Handle
Standard	Standard
Heavy Duty Retainer Profile Locking	Spring Type Auto Locks
Standard	Standard
Optional	Standard
Optional	N/A
Optional	N/A
Optional	N/A
Optional	Optional
Standard	Standard
Optional	Optional
Optional	Optional
Optional	Optional
Standard	Standard
Optional	Optional
Standard	Standard
Optional	Optional
Optional	Optional
15 Years Against Fading	15 Years Against Fading
5 Vears	5 Years
5 16415	0 100.0
7 Years	7 Years
	3500mm 3500mm 300mm (up to 2590mm guide height) 360mm (over 2590mm guide height) 70mm (up to 3000mm opening width) 100mm Internal/External Optional Optional (White as standard) Box/Guides/Fascia (White as standard) Standard Standard 70mm/100mm* Aluminium - Foam Filled 20mm 78mm 15/17 RPM Crank Handle Standard Heavy Duty Retainer Profile Locking Standard Optional Optional Optional Optional Optional Optional Standard Optional Optional Optional Optional Standard Optional Optional Optional Standard Optional Optional Standard Optional Standard Optional Optional Optional Standard Optional

<sup>\*</sup>Up to 3000mm opening width the guide size is 70mm. Up to 5500mm opening width the guide size is 100mm. \*\*Up to 2000mm opening high the guide size is 65mm. Over 2000mm opening high the guide size is 75mm.

# YOU DECIDE When choosing your supplier compare our features, and remember. Price is what you pay. Value is what you get

15 Year warranty on door curtain

Security tested

Aesthetically pleasing

7 Year warranty on motor

Reinforced perimeter

Hand made in UK

Space saving

Tiana maas iii sit


5 Year warranty on Safety System

Nationwide surveying & installation

1000's of colours

Insulated

Heavy Duty Locking System



# OTHER DOOR PRODUCTS BY BIRKDALE ASK FOR BROCHURES OR VISIT OUR WEBSITE







Colours are a representation only. Please ask to see our actual samples. Our doors are virtually maintenance free. However, to maintain the CE certification an annual low cost service is needed.

WE RESERVE THE RIGHT TO MAKE CHANGES TO OUR PRODUCTS WITHOUT NOTIFICATION.